

## Manual Ireland Prescription Form

## Yes, you can:

Please refer to www.invacare.ie for Local Distributor

NOVEMBER 2023 Customer Ref:

Customer Ref*	Account No*
Contact No*	Order No*
Delivery Address*	Order Qty*
	Order date*

## Rea Azalea Max

## **Standard Features**

- Max User Weight 180KG/28 Stone
- Crash Tested ISO 7176-Part 19
- Transit Propulsion with Attendant Hub Brakes and Black Solid Tyres
- Choice of 2 Seat Widths 550mm or 610mm (+50mm width adjustment, +100mm also with Transit)
- · Choice of 2 Seat Heights 400mm or 450mm
- Depth Adjustable Seat 530mm-600mm
- Max Contour Seat, (Visco top, Wipeable), Laguna Backrest Contour Cushion (Wipeable)
- Tension and Height Adjustable Backrest (Set with space 'upwards'), Sideways Adjustable Headrest
- Removable Height Adjustable and Reinforced Armrests
- Assistant Operated Gas Piston Seat Tilt -1° +23° and Backrest Recline to 30° with Tilt Lock
- Angle Adjustable Swingaway Elevating and Removable Legrests with Reinforced Calf Support and 1 Piece Footboard Converter
- Width Adjustable Footplate
- Solid Front Castors
- Height Adjustable Push Handles
- Pearl Silver Frame
- Trunk (Thoracic Lateral) Supports Removable and Multi Adjustable
- User Manoeuvred Tyre Brakes, Pelvic Belt (adjustable both sides)
- Anti Tippers/Tipping Lever

Standard Base price: €4,415



Bloom make your coloction with a group in the box	O Free of charge	♦ standard feature POA special request
Please make your selection with a cross in the box	• Free or charge	▼ Standard reature POA special request

Customer weight = KG

Code	Description	
BASE PRODUC	CT*	
BSA0010	REA Azalea Max	€4,415
BSA8000	SPECIAL REQUEST - PLEASE INCLUDE QUOTATION REFERENCE IN SPECIAL DESCRIPTION AT THE END OF THE FORM WHERE APPLICABLE	POA

PROPULSION*			
BSA0020	Transit 16" wheels with hub brakes	(NC 0100, 0514, 0516, 0522, 0540, 0550)	•
BSA0030	Self Propel 24"/22" wheels with user brakes	(NC 0080, 0512, 0524)	O
BSA0040	Self Propel 24"/22" wheels with assistant hub brakes	(NC 0080, 0512, 0522)	€166
SEAT WIDTH*	<u>'</u>		
BSA0050	550 mm / 22"		O
BSA0060	610 mm / 24"		O
SEAT WIDTH EX	XTENSION*		
BSA0070	+ 50 mm seat width pre-adjustment on armrests and legrests		0
BSA0080	+ 100 mm seat width pre-adjustment on armrests and legrests		0
BSA0085	Without seat width extension, set at 0mm adjustment but can be adjusted wider if required		0
SEAT DEPTH*			
BSA0090	530-600 mm / 21" - 24"		•
SEAT HEIGHT*			
BSA0100	400 mm / 16"	(NC 0290, 0495, 0512, 0516)	O
BSA0110	450 mm / 18"	(NC 0480, 0514)	O
SEAT TYPE*	•		
BSA0120	Depth Adjustable		•
SEAT CUSHION	*		
BSA0130	Max Seat Cushion Visco top	(NC 1111)	•
BSA0135	Without Seat Cushion, Seat Plate only	(NC 0145, 0155)	0
SEAT UPHOLST	rery*		
BSA0145	Black Plush TR35		O
BSA0155	Black Multi-stretch Black PU coated fabric		<b>*</b>
BSA1111	No upholstery, select with option 0135 Without seat cushion		O
BACKREST*			
BSA0160	Backrest, Tension Adjustable - Pre-adjusted space upwards		<b>♦</b>
BACKREST CUS	SHION*		
BSA0170	Cover for tension adjustable upholstery		€221
BSA0180	Cushion, Laguna (Lateral Support)	(NC 0217)	<b>•</b>
BACKREST UP	HOLSTERY*		
BSA0205	Black Plush TR35		O
BSA0215	Black Multi-stretch Black PU coated fabric		<b>♦</b>
BSA0217	Black Spacer TR36		0
PUSH HANDLES	S*		
BSA0220	Push Handles braced		€54
BSA0230	High Push Bar		
	BACKREST REGULATION*		
BSA0240	Assistant operated gas piston seat and backrest tilt	(NC 2222)	•
BSA0250	Electrical operated seat and backrest tilt	(NC 0450, 0605)	€958
TILT LOCK*	·		
BSA0605	Tilt Lock (locking of pre-set angle)		•
BSA2222	No Tilt Lock, Select with 0250 Electric operated seat		O
	and backrest		
LEGREST HANG	GER*		
BSA0260	Elevating Legrest, angle adjustable 0 to 75° swing in/swing out with knee pad and calf support Pair		<b>♦</b>

Rea Azalea Max Page 2 of 6

FOOTREST*			
BSA0280	Footrest Lower part, Depth and angle adjustable with short tube and footboard converter, Pair		O
BSA0290	Footrest Lower part, Depth and angle adjustable with long tube and footboard converter, Pair		O
BSA0291	Legrest Amputee LH	(NC 0293)	€171
BSA0292	Legrest Amputee RH	(NC 0293)	€171
HEEL STRAP			
BSA0293	Heel strap		€39
ARMREST LH*			
BSA0300	Reinforced, Wide Pad LH		<b>•</b>
ARMREST RH*			
BSA0320	Reinforced, Wide Pad RH		<b>*</b>
ARMREST OPT	TIONS. Side support cover 0340, must be selected if 0350 F	Foam for side support is required	
BSA0340	Side Support Cover, removable with tools (wipeable cover for the sideguard)		€84
BSA0350	Foam for side support cover (Internal cushioned pad, which is only possible in combination with BSA0340)		O
SEAT OPTIONS	S		
BSA0360	Incontinence Cover		0
BACKREST OF	PTIONS		
BSA0370	Headrest, Sideway Adjustable	(NC 0400)	<b>♦</b>
BSA0390	Headrest with cheek support, sideway adjustable	(NC 0380, 0400)	€164
BSA0380	Cover for headrest		€39
BSA0400	Neckrest		O
BSA0420	Handles Clinic Kit for Head-/Neckrest (Levers which replace screws for easy adjustment)		€61
BSA0430	Lumbar Support Cushion		€38
BSA0440	Wedges (One Pair)		€14
TRUNK SUPPO	PRTS LH		
BSA0413	Trunk Support Multi Adjustable LH		€133
TRUNK SUPPO	PRTS RH		
BSA0414	Trunk Support Multi Adjustable RH		€133
CHASSIS COLO	DUR*		
BSA0441	Pearl Grey		•
BSA0442	Azurite Blue		0
BSA0443	Sand		O
BSA0444	Electric Green		O
BSA0445	Happy Red		O
CHASSIS SAFE	ETY		
BSA0450	Chassis extender, castors extend 50mm forward for added stability		O
CASTOR ATTA	CHMENT*		
BSA0460	Fixed castor attachment		•
FRONT CASTO	PRS*		
BSA0480	140x40 mm (5 1/2" x 1 5/8") Medium Hard Black tyre		€27
BSA0495	200x45 mm (8" X 1 3/4") Black Solid tyre		<b>•</b>
<u>L</u>			

REAR WHEEL	SIZE*		
BSA0512	16" / 405 mm Transit rear wheel with fixed attachment	(NC 0522, 0540, 0550)	•
BSA0514	22" / 560 mm Self Propel rear wheel with QR attachment		O
BSA0516	24" / 600 mm Self Propel rear wheel with QR attachment		0
REAR WHEEL	TYPE*		
BSA0522	Standard self propel with colourless hub, clear anodized rim and Stainless Steel spokes		0
BSA0524	Hub Brake 16" Transit or 22" or 24" Self Propel Transit with Black Plastic Hub and Rim Self Propel with colourless hub, clear anodized rim and Stainless Steel spokes		•
REAR WHEEL	TYRE*		
BSA0535	Solid Black tyres		<b>*</b>
HANDRIM			
BSA0540	Aluminium handrim		<b>*</b>
SPOKEGUARD			
BSA0550	Frost spokeguard		€205
BRAKE*			
BSA0560	User manoeuvred tyre brakes		•
SAFETY OPTIC	ons -		
BSA0570	Pelvic belt		•
BSA0590	Reflector Kit (wheels and chassis)		€25
TRANSPORTA	TION BRACKETS*		
BSA0595	Transportation Brackets, mounted to the front of the wheelchair		€15
OTHER OPTIO	NS		
BSA0600	Fixed Table Tray with elbow pads includes mounting kit		€262
BSA0620	Handles Clinic Kit		€67
		T T	
		TOTAL PRICE	

Non Conforming Op	otions:
BSA0080	+ 100 mm seat width pre-adjustment on armrests and legrests
BSA0100	400 mm / 16"
BSA0145	Black Plush TR35
BSA0155	Black Multi-stretch Black PU coated fabric
BSA1111	No upholstery, select with option 0135 Without seat cushion
BSA0217	Black Spacer TR36
BSA0605	Tilt Lock (locking of pre-set angle)
BSA2222	No Tilt Lock, Select with 0250 Electric operated seat and backrest
BSA0290	Footrest Lower part, Depth and angle adjustable with long tube and footboard converter, Pair
BSA0293	Heel strap
BSA0380	Cover for headrest
BSA0400	Neckrest
BSA0450	Chassis extender, castors extend 50mm forward for added stability
BSA0480	140x40 mm (5 1/2" x 1 5/8") Medium Hard Black tyre
BSA0495	200x45 mm (8" X 1 3/4") Black Solid tyre
BSA0512	16" / 405 mm Transit rear wheel with fixed attachment
BSA0514	22" / 560 mm Self Propel rear wheel with QR attachment
BSA0516	24" / 600 mm Self Propel rear wheel with QR attachment
BSA0522	Standard self propel with colourless hub, clear anodized rim and Stainless Steel spokes
BSA0524	Hub Brake 16" Transit or 22" or 24" Self Propel Transit with Black Plastic Hub and Rim Self Propel with colourless hub, clear anodized rim and Stainless Steel spokes
BSA0540	Aluminium handrim
BSA0550	Frost spokeguard



For a more complex customer requirement please refer to our Invacare Unique special order form. email specialsuk@invacare.com or Fax: 01656 776220

Special Instructions Please supply the following information:	
Name:	Email:
Phone:	Fax:
Description of special request (please include relayent option code or part r	numher).