

Bodypoint[®]

STRENGTHEN YOUR POSITION



Officially available
through Invacare



Yes, you can.[®]

The Bodypoint Difference



Experience that changes lives

Our mission? To create exceptional products that enable individuals in a wheelchair to improve their lives. Wheelchair positioning is all we do, for thousands of very important reasons.

At Bodypoint, we know that correct positioning leads to a more fulfilling lifestyle. Every device we make, no matter how simple, affects someone's mobility and independence. For 28 years, we've created better connections between wheelchairs and people.

We value the agility we have as an independent company, but also appreciate our worldwide network of distributors, dealers, and manufacturer partners who contribute their own expertise and allow us to reach more people and change more lives than we ever could alone.

Products you can count on

Bodypoint designs, engineers, tests and manufactures our products in Seattle, WA (USA) for optimal fit, clinical function, durability, comfort and safety. We make conscious decisions about every detail. Each part and material, no matter how small, is carefully selected for maximum performance or made to our exacting specifications.

What does this mean to you? Anatomically-contoured shapes that increase individual function and encourage regular use by remaining comfortable for all-day wear. Padded materials that won't over-stretch. Webbing that resists slipping. Stitching that doesn't pull out. Soft postural supports that can be machine washed, time and again, without fraying or falling apart. The strong, low-profile hardware provides reliable mounting options for a wide range of individuals and chairs.

When it comes to safety and performance, we are the only postural support line known to test each model that we sell to all applicable third-party standards (including ISO, CEN, and ANSI/RESNA) for properties such as strength, flammability, and cytotoxicity. The quality management system guiding our manufacturing and business processes is certified as conforming with ISO 9001:2015. We continue to collaborate with other industry leaders around the world to revise existing standards and establish new ones to ensure all wheelchair users can be confident in the products they use and wear. See bodypoint.com/standards for more.

Results you can count on from products that last. All backed up by our limited lifetime warranty.



Problems solved daily

A strong position may help an individual prevent a pressure ulcer, win a Paralympic medal, or eat a slice of pizza, but we know that for someone in a wheelchair, even the smallest details can make a big difference. That is why at Bodypoint, we are problem-solvers.

Where therapists, dealers, and individuals experience frustration, we find inspiration. Our desire to make things better drives our creativity and fuels us as we explore new ways to use materials and manufacturing technologies. That spirit of innovation has led to numerous patents and awards, and created some products that changed the industry.

We pioneered the concept of tapered laminated pads for form-fitting pressure distribution. Ankle Huggers®, which rendered rigid shoe holders nearly obsolete, were also an original, patented Bodypoint design. With Aeromesh® bath products, we brought safety to wet environments. And our Evoflex® showed that belts could be kept from tangling in the wheels.

Most recently, our new MD Series Harnesses were honoured with a 2019 Product Award by Mobility Management magazine. See p. 5 for more on this and our other recent innovations.

As always, we welcome your feedback. What would you like to see us do next?



Contents



UPPER BODY SUPPORT

6 - 8

PivotFit™ Shoulder Harnesses
Stayflex™ Chest Supports
Trimline Shoulder Harness
Shoulder Harness Strap Guides
Monoflex™ Chest Supports



TEMPORARY POSITIONING & LIFESTYLE

9

Universal Elastic Straps
Mobility Bag



PELVIC POSITIONING

10 - 12

Evoflex® Hip Belts
Padded Hip Belts
Leg Harnesses
Buckle Covers



MOUNTING HARDWARE

13

Seat Mounting Brackets
Clamps and Fastener Kits
Belt Mounting Extension Kit
Shoulder Harness Strap Guides



LOWER BODY SUPPORT

14 - 15


Ankle Huggers®
Padded Aeromesh® Calf Supports



POWER WHEELCHAIR DRIVING

16

Joystick Handles



SIZING

17

From shoulders to feet, Bodypoint® has the solution.

INDIVIDUAL ISSUES

Fall risk, sacral sitting (or risk for), posterior or anterior pelvic tilt, pelvic obliquity/rotation

PRODUCT EXAMPLES

Two or Four-Point Hip Belt. With significant sliding risk or obliquity/rotation, consider a Four-Point Belt or Evoflex®.



Two-Point Padded Hip Belt

Shoulder rotation, spine stiffness/pain, asymmetrical head position, scoliosis, kyphosis, lordosis

For maximum shoulder retraction, consider the Trimline Shoulder Harness (worn backpack style).

For balanced shoulder and sternal support, choose the Dynamic PivotFit™ for more torso movement, or the Standard style for spinal curvature and asymmetry.



Trimline Shoulder Harness

Upper body instability, head/neck/sternal collapse, respiratory impairment, dysphagia, dysphasia, general neuromuscular weakness

Monoflex™ for two-point support. Stayflex™ for four-point support, with or without zipper. Chest Belt or Quad Belt for independent use.



One-Piece Monoflex™

Leg sliding, thrusting, or spasticity

Leg Harness loops around inner thighs without limiting forward reach or pressing on the bladder. Or use the Universal Elastic Strap (can double wrap leg of most concern) for temporary positioning.



Leg Harness

Calf and/or ankle stiffness/spasms, leg flexion/extension, feet in suboptimal position, feet at risk for falling, crossing

Calf Strap or Panel to relax and support; Ankle Huggers® to centre and stabilize feet.



Calf Strap

Needs additional postural support for core stability but resistant to the idea of wearing a belt

Evoflex® or Monoflex™ on chest or abdomen; Chest Belt; Leg Harness




Evoflex®

Temporary support need; e.g., for work, study, sports, travel

Evoflex® or Universal Elastic Strap



Universal Elastic Strap



"The number of things it helps me to do better in my everyday life is unbelievable."

- Josh Dueck, Professional Skier and Paralympian, talking about the Evoflex®

What's new?

At Bodypoint®, our focus is on designing and manufacturing the best postural support products and wheelchair accessories for everyone. We continually explore new positioning solutions while also evaluating our current products for possible enhancements. Here are just a few of our recent innovations:



MD Series Harnesses

Our PivotFit™, Stayflex™, and Trimline shoulder harnesses now come with MD (multi-directional) Pull Straps that can be configured as a front or rear-pull. Updated end-fittings too!

Released July 2019


See page 6-7



Grooved Mushroom Joystick Handle

With its textured surface, hand-filling shape, and adaptable height, this joystick handle meets the needs of many different people.

See page 16



Seat Mounting Brackets

Redesigned top-mount and new 20° side-mount brackets provide an easy and secure way to mount belts to active wheelchairs.

See page 13



Ankle Huggers®

Redesigned with easy-to-operate ErgoLatch™ buckle plus hook-and-loop adjustments to provide the right fit every time. Now includes detachable pull-loops, too!

See page 14

Four-point upper body support

NEW! MD Series Harnesses

Our PivotFit™, Stayflex™, and Trimline now come with MD (multi-directional) Pull Straps. No need to choose in advance between front-pull and rear-pull — the versatile MD Pull Straps work both ways. Easily set up and change pull styles on the spot to adapt to individual needs. Product selection is now simpler and there will be less need to compromise at the time of fitting.



Attach straps to fastener on harness shoulder pad. Simply reverse direction of strap assembly to switch between front and rear-pull.



PivotFit™ Shoulder Harness

The PivotFit™ promotes upright posture through shoulder control for improved breathing, head control and stability. Sleek look with anatomically-matched design that distributes pressure across a 25% greater surface area than a traditional H-style harness. Body-contouring pads provides optimal support and comfort. Easy-to-adjust sternum strap is placed low to reduce risk of strangulation.

Available in two styles: Standard (non-stretch) and Dynamic (controlled stretch). Now with MD (multi-directional) Pull Straps that can be configured as a front or rear-pull.

Unique shape contours to the shoulders and ribcage for a more supportive, comfortable fit.



High-strength Swivel Buckle allows the pads to pivot into the best placement for the body shape, equalizing tension for an ideal fit.

STYLE OPTIONS



Dynamic Style

Patented, dual-zone elasticity enhances comfort by allowing moderate shoulder movement without reducing support at the chest. Ideal for helping manage spastic tone.

Standard Style

Non-stretch style reduces movement and has an easy-to-clean CORDURA nylon covering. Effective for severe kyphosis, spinal curvature or trunk rotation.

CAUTION

Whenever a chest belt or other anterior trunk support is used, a properly-adjusted pelvic support should also be worn to prevent sliding.

Stayflex™ Chest Support

Provides firm trunk control with more freedom of movement in the shoulders than the PivotFit or Trimline. Patented, dual-stretch-zone construction eliminates upwards shift at the neckline when leaning forward, minimising strangulation risk. Carefully selected materials optimally balance stretch and resistance, and quick-release swivel buckles allow easy removal. Set up any style as a front or rear-pull with our new MD (multi-directional) Pull Straps.

STYLE OPTIONS



Standard Width
Chest support with a controlled amount of stretch



Narrow Width
Comfortably fits women and individuals with smaller frames




Optional Zipper
Optional zipper available on both Standard Width (left) and Narrow Width (right).

SIZING

Stayflex™, PivotFit™ and Trimline

Measure the maximum width across the shoulders, at the deltoid muscles.



Size	Shoulder Width
XXS*	21–24cm (8-1/4–9-1/2")
XS	24–28cm (9-1/2–11")
S	28–33cm (11–13")
M	33–41cm (13–16")
L	41–48cm (16–19")
XL	48–56cm (19–22")

*XXS in PivotFit™ harness only

Trimline Shoulder Harness

Features two separate, adjustable padded straps for more focused shoulder retraction. Comfortably accommodates asymmetry and keeps the chest clear for maximum freedom of movement. Now with MD (multi-directional) Pull Straps that allow it to be set up as a front or rear-pull.



NEW! MD SERIES HARNESSES PART NUMBERS

Add end-fitting suffixes -B5 or -B6 (see below) to the end of the part number.

Size	PivotFit™ Dynamic	PivotFit™ Standard	Stayflex™ Narrow		Stayflex™ Standard		Trimline
			With Zipper	Without Zipper	With Zipper	Without Zipper	
XXS	SH295XXS	SH290XXS	-	-	-	-	-
XS	SH295XS	SH290XS	-	-	-	SH351XS	-
S	SH295S	SH290S	-	-	-	SH351S	SH235S
M	SH295M	SH290M	SH360M	SH361M	SH350M	SH351M	SH235M
L	SH295L	SH290L	SH360L	SH361L	SH350L	SH351L	SH235L
XL	SH295XL	SH290XL	SH360XL	-	-	SH351XL	-

NEW! End-Fittings

Our MD Series harnesses come with four of our new, high-strength plastic Flat-Mounts™.

STANDARD END-FITTINGS

Plastic Cinch-Mount™



- B6



Vibrant teal coloured stitching allows you to instinctively locate the pull strap amongst the stylish black design



Two-point upper body support



Monoflex™ Chest Support

For individuals who need strong but comfortable abdominal or chest support. High-strength elastic padding provides just the right amount of stretch for comfort, while stabilizing even those with strong spastic tone. Double-tapered shape distributes pressure across the midsection while maintaining free arm movement. Improves breath control and speech when used on upper abdomen. Can also be used on legs. Available in one-piece and two-piece styles.

MONOFLEX™ PART NUMBERS

Add end-fitting suffix (see box at left) to the end of part number.

Size	One-Piece	Two-Piece
	Underarm Release	Center Release
XS	SH120XS	SH122XS
S	SH120S	SH122SS
M	SH120M	SH122M
L	SH120L	SH122L
XL	SH120XL	SH122XL

PRODUCT STYLES



One-Piece Underarm Release

Single pad for more surface area and stretch, with front-pull adjustment and Swivel Buckle release on sides.



Two-Piece Centre Release

Reduces bulk under the arms and fits under lateral supports for added stability. The centred Swivel Buckle equalises pressure. Great for independent people.

END-FITTING OPTIONS


Choose an end-fitting and add appropriate suffix (-B1 or -B3) to end of part number.



-B1 Flat-Mount™



-B3 Grommet Strap™
(One-piece Monoflex™ only)



MONOFLEX™ SIZING


Measure the trunk around the front and sides at the height at which the Monoflex™ will be worn.

Size	Pad Length	Pad Width	
		One-Piece Underarm Release	Two-Piece Centre Release
XS	31cm (12-1/4")	7cm (2-3/4")	5.5cm (2-1/4")
S	39.5cm (15-1/2")	7.5cm (3")	6.5cm (2-1/2")
M	46.5cm (18-1/4")	10cm (4")	8cm (3-1/4")
L	54.5cm (21-1/2")	11.5cm (4-1/2")	9cm (3-1/2")
XL	62cm (24-1/2")	12.5cm (5")	9.5cm (3-3/4")

ON THE COVER IAN MACKAY

Ian is an avid outdoorsman, birder, and nature lover. As the Founder and Executive Director of the non-profit organisation Ian's Ride, he advocates for outdoor accessibility and encourages the mobility challenged to get outside. In 2018, he completed his second cross-state journey, riding 475 miles in his power chair over a 13-day period. Ian relies on a Bodypoint Chest Belt, Non-Padded Hip Belt and Ankle Huggers to strengthen his position during all his adventures.

For more about Ian, visit his website at www.iansride.com



Keeping up with changing needs



Universal Elastic Strap

Temporary positioning for work, play, sports, therapy and no fittings required.

The highly stretchable but supportive Universal elastic strap truly is universal. Use on the chest, abdomen, lap or legs. The strong neoprene and extra-fine hook-and-loop won't snag clothes or trap dirt and lint.

Easy-grasp end tab with a convenient thumb hole for those with limited hand function. The 142cm (56") length can be cut to size without fraying.

- SP110S** **Small**, 8cm (3") high
- SP110L** **Large**, 11cm (4-1/2") high
- SP110XL** **Extra Large**, 15cm (6") high



Mobility Bag


The Bodypoint Mobility Bag keeps necessities and valuables close at hand, securely and discreetly. Designed in conjunction with individuals using wheelchairs, it's big enough to hold the day's needs, but still fits snugly out of the way behind the legs or on the side of the chair.

Sturdy construction and handy features like two roomy main compartments, a high-contrast interior, mesh front pockets, a key clip, a hanging hook, and easy-grab pulls make this bag unique.


20cm (8") wide, 19cm (7.5") tall,
11cm (4.25") deep

SP001

Attach and remove effortlessly from the wheelchair seat canvas using the removable plastic seat clip. Alternately, detach the clip and use the hook-and-loop style tabs to attach to an armrest.



Choose the right hip belt



Padded Hip Belts

Core stability is fundamental to optimising individual function and mobility. As expected for such a critical part of the seating system, Bodypoint hip belts are designed for maximum comfort and performance.

The proprietary nylon webbing used on all our belts is known for its durability, slip-resistance, smooth edges and stain-resistance.

Our padded belts include soft, anatomically correct laminar pads with a CORDURA® fabric outer layer and proprietary edge binding to eliminate wrinkles, preserve skin integrity and comfort, increase durability and dirt-resistance, and resist slipping.

HOW TO ORDER A HIP BELT



1. BELT STYLE

See below



2. BUCKLE STYLE

See page 11



3. PULL TYPE

See page 11
Not applicable to Evoflex and Non-Padded Hip Belts.



4. END-FITTING

See page 11
Not applicable to Evoflex.



Complete Part Number



Two-Point Padded Hip Belt

This simple-to-use belt with two points of attachment was designed to combine all-day comfort with effective pelvic support in a variety of mounting positions.

There is a seamless transition from the creep-resistant webbing to the contoured pads, made with premium-grade foam that won't flatten out with use. Rounded CORDURA edge binding ensures even pressure distribution. Sewing techniques and materials are selected for maximum grime resistance, but these belts can also be machine washed and dried like all our soft goods.



Four-Point Padded Hip Belt

Our Four-Point Padded Hip Belt has the same features as our Two-Point Belt, but attaches to the wheelchair in four places to ensure that the pelvis does not move from an aligned, stable position and stays securely against the seat and back supports.

Four points of attachment are ideal for anterior pelvic tilt, pelvic rotation and thrusting. The primary straps position the belt while the secondary straps anchor it into position. These extra points prevent the belt from riding up into the abdomen or twisting and moving out of position. Can be mounted with secondary straps facing the front or the back of the chair to meet different needs.

See pages 17 for sizing and part numbers.

Buckle styles



Push-Button

Smooth, rounded corners prevent snagging. Cover is removable for cleaning or replacement. See security covers



Side-Release

Lightweight, crush-resistant, prevents accidental release



Rehab Latch™

Provides easy operation for those with limited hand function



Small Push-Button

Strong, secure option for pediatrics or lower profile for adults using 1" webbing belts

Pull types

Centre-Pull Hip Belt

Suitable for a wide range of people, especially those with posterior pelvic tilt. Available in widest variety of sizes and buckle styles.



Dual-Pull Hip Belt

Greater adjustability to accommodate clothing and weight changes. Available with Side-Release Buckle only.



Rear-Pull Hip Belt

Works well for high muscle tone and pelvic rotation. Position and secure one side of the pelvis before the other.



End-fittings

Choose desired end-fitting, then add suffix -B1 or -B2 to the end of the part numbers shown below



Flat-Mount™

Versatile, lowest profile

-B1



Cinch-Mount™

Time saving, precise, easily adjust length to changes in weight and clothing

-B2

Part numbers for Evoflex® and other Padded Hip Belts

Webbing width for all padded belts: S= 2.5cm (1"), M= 4cm (1-1/2"), L= 5cm (2").

Numeral after webbing size equals padded length in centimetres; e.g. M46 has 4cm (1-1/2") wide webbing with 46cm padded length.

Two-Point Standard Padded Belts					
Pull Style	Size	Push-Button	Side-Release	Rehab Latch™	Small Push-Button
Center-Pull	S32				HB235-S32
	S38				HB235-S38
	M36				
	M46	HB205-M46			
	L62	HB205-L62			
	L82				
	L92				
Dual-Pull	S32				
	S38		HB216-S38		
	M36				
	M46		HB216-M46		
	L62		HB216-L62		
Rear-Pull	S38		HB219-S38		
	M40				
	M46		HB219-M46		
Four-Point Standard Padded Belts					
Center-Pull	S32				
	S38				HB435-S38
	M36				
	M46	HB405-M46			
	L62	HB405-L62			
Evoflex® Hip Belt					
	S38			EB235S	
	M46			EB225M	
	L62			EB225L	

Buckle Covers

Replacement covers for Push-Button Buckles on Bodypoint® Hip Belts

Security Cover

Prevent unsafe opening — this cover's small Ø6mm (1/4") button hole cannot be operated by a finger, but can be easily opened using a pen tip.



FS018C-1 For 4cm (1-1/2") webbing belts

FS019C-1 For 5cm (2") webbing belts

Reduced Access Cover

Requires use of fingertip to open buckle. Ø14mm (9/16") button hole.



FS018D-1 For 4cm (1-1/2") webbing belts

FS019D-1 For 5cm (2") webbing belts

Extra Small Security Cover

Snaps securely onto our Small Push-Button Buckle, limiting access by even the smallest fingers. Open instantly with a pen tip. One size. Ø6mm (1/4") button hole.



FS029C-1 For 2.5cm (1") webbing belts



See pages 12-13 for sizing and part numbers.



WYATT

Six-year-old Wyatt loves his Evoflex belt, which keeps him stable and comfortable even when soaking wet! Bodypoint is proud to help people of all ages enjoy their favorite activities, from alpine skiing to water slides.

Evoflex® Hip Belt

Even individuals who "don't like belts" love the Evoflex®, the first pelvic support with stiffened end straps that can stay upright or pivot out of the way when you want, and won't twist or fall into the wheels. Gain the benefits of retractable belts without the hardware against the hips.

Padded for comfort but sleeker and more convenient than a traditional belt, the Evoflex® gives individuals secure but non-intrusive support. It is ideal for on-and-off use, and can be used on chest or legs as well as the hips. Includes fasteners for mounting; no additional end-fittings are required.



Slim, tapered strap design improves stability by allowing a closer fit.

Unique, stiffened end straps keep belt from twisting or falling into the wheels. Pivot straps forward or backward for easier transfers.




Simple, low-profile fastener fits into even the tightest places. New wave spring washer allows variable tension to prevent unwanted rotation.

Measuring for Evoflex® and other padded belts



1. With client in desired position, press with your hands to determine the most effective position and angle for the belt.
2. At the point where your hands are placed, measure the distance over the body with a flexible tape. This corresponds to the belt's padded length (B).
3. Find appropriate belt size using the tables below.

Evoflex® Hip Belts



Size*	A**	B	C	D
S38	2.5cm (1")	38cm (15")	5cm (2")	63cm (24-3/4")
M46	4cm (1-1/2")	46cm (18")	5.5cm (2-1/4")	76cm (29-3/4")
L62	5cm (2")	62cm (24-1/2")	7cm (2-3/4")	96cm (37-3/4")

Versatile mounting hardware



90° Seat Mounting Bracket

Frame type: C
HW200-90-2

Mounting solution for chairs with threaded holes for sling seat upholstery or a solid seat base. 90° bend for top mounting on seat tubes (pictured at right), or a 20° bend for side mounting. Sold in pairs.



20° Seat Mounting Bracket


Frame type: C
HW200-20-2



10mm T-Slot Fastener Kit

Frame type: E
HKA10-1

Directly mount belts to Invacare, Pride and Quantum power wheelchair slotted seat rails. 10mm size



Invacare **Modulite**
An evolution in seating designed around you.



Belt Mounting Extension Kit

Frame type: All

Extend belt length and span obstructions when mounting end-fittings. Includes fasteners.

HKA12-1



FrameSaver™ Clamp & Shim

Frame type: A

Strong, durable nylon clamps snap onto tubing and won't scratch surface. Our most affordable clamp, the FrameSaver is perfect when clearance is not an issue. Fits Ø25mm (1") tubing, and 22mm (7/8") tubing with enclosed shim. Can also be used on Ø19mm (3/4") tubing with 19mm shim, sold separately. Sold in pairs.

HW303-B-2 25mm clamp + 22mm shim, 2 pack

HW303-B-50 25mm clamp + 22mm shim, 50 pack

HW303-19SHIM-2 19mm shim, 2 pack



Band Clamp

Frame types: A, B, C

Flexible stainless steel spring fits into tight gaps under seats on a wide variety of frames. Useful for mounting where there are no pre-existing holes. Sold in pairs.

HW320-22-2 Ø22mm (7/8") 2 pack

HW320-25-2 Ø25mm (1") 2 pack

HW320-25-10 Ø25mm (1") 10 pack

HW320-25-50 Ø25mm (1") 50 pack

HW320-30-2 Ø30mm (1-3/16") 2 pack

HW320-30-10 Ø30mm (1-3/16") 10 pack

HW320-30-50 Ø30mm (1-3/16") 50 pack



Secure positioning

Ankle Huggers®

Properly supported and positioned lower extremities contribute to better pelvic position and increased mobility. Ankle Huggers are Bodypoint's original patented solution for stabilizing the lower legs without immobilising the feet. They reduce joint stress by holding at the ankle, and improve safety, comfort and tolerance for sitting.

Our new design, introduced in 2018, features a low-profile ErgoLatch™ buckle plus easy hook-and-loop adjustments to provide the right fit every time. New pad construction increases stability and comfort with more flexible materials over the Achilles and more protection over the bony prominences. Sold in pairs.



Low-profile, easy-to-operate ErgoLatch™ buckle now comes with teal coloured detachable pull-loops, making the buckle more visible in release even easier.

New style hook-and-loop is bonded to webbing for a smoother finish and better wrinkle resistance. Rubber end tab makes quick adjustments easy.



New design allows more flex over the Achilles for increased comfort

ANKLE HUGGERS® PART NUMBERS AND SIZE GUIDE



Measure circumference above ankle.

Size	Part Number	Fits Ankle Circumference
XS	FT240XS	14 – 17cm (5-1/2 – 6-3/4")
S	FT240S	16.5 – 20cm (6-1/2 – 8")
M	FT240M	19 – 23.5cm (7-1/2 – 9-1/4")
L	FT240L	23 – 28cm (9 – 11")
XL	FT240XL	26.5 – 33cm (10-1/2 – 13")



for legs and feet

Padded Aeromesh® Calf Supports

Our Calf Strap and Calf Panel keep feet safely and comfortably on foot plates with relaxed calves. They distribute pressure evenly on the lower extremities and control flexion without bruising.

Porous Aeromesh® fabric is bonded to a durable but non-creasing stiffener to promote air flow while maintaining shape.



Calf Strap


- SP102S Small
- SP102M Medium
- SP102L Large



Calf Panel

Distributes pressure across a broader calf region than our regular Calf Strap. Especially helpful for individuals in tilt or reclined position.

- SP103S Small
- SP103M Medium
- SP103L Large



CALF PANEL AND CALF STRAP SIZING

Measure the curved distance around the legs from the outside of the wheelchair. Choose a size with enough length for the pad to flex and wrap behind calves.

- S 35 - 40cm (14-16")
- M 40 - 50cm (16-20")
- L 50 - 61cm (20-24")


Leg Harness

A simple solution for individuals who are at risk of sliding, thrust or have spasticity. The padded strap securely holds the leg at the inner thigh without limiting anterior movement or pressing on the bladder. The harness has a unique, user-friendly design and it can be used with or without a pelvic belt depending on the specific need. An effective alternative to a groin strap. Sold as a pair.

- LH600S* **Small**
23cm (9") x 4cm (1-1/2")
- LH600M* **Medium**
33cm (13") x 4.5cm (1-3/4")
- LH600L* **Large**
38cm (15") x 5cm (2")



LEG HARNESS SIZING



Measure from the Anterior Superior Iliac Spine (ASIS) to the point where the inner thigh touches the seat.

- | Size | Fit Range |
|------|------------------|
| S | 20-28cm (8-11") |
| M | 28-36cm (11-14") |
| L | 36-41cm (14-16") |

*See page 15 for sizing and end-fitting information. End-fitting suffixes must be added to the part number.

Control is right in your hands




Flex-Shaft Joystick Handles

Bodypoint makes Joystick Handles in a range of shapes, sizes and materials to address functional needs and personal style.

Flexible shafts reduce risk of damage to electronic joystick controls from involuntary movement, dampen driving vibrations for greater comfort, and protect fragile components from impact.

Each handle is available 3/16" stem sizes to fit Invacare power chairs. Install by pressing firmly onto a clean joystick stem. No need for tools or setscrews that could damage the joystick stem.



4" Ergonomic U-Shaped PC102A

Fits stem size: Ø4.8mm (3/16")

3" Ergonomic U-Shaped PC101A

Fits stem size: Ø4.8mm (3/16")

Our U-Shaped Joystick Handle is form-fitting and ergonomic due to its curved shape and waterfall edge. This design provides maximum wheelchair driving control while remaining comfortable for individuals with CP, spinal cord injuries, and more. Available in two widths to accommodate different hand sizes. Sides can be molded to shape in hot water to fit individual needs.



Grooved Mushroom

PC110A Fits stem size: Ø4.8mm (3/16")

PC110B Fits stem size: Ø6.4mm (1/4")

The new Grooved Mushroom is the result of years of learning from customers and collaboration with clinicians and clients. Its textured surfaces, hand-filling shape, and adaptable height make it a versatile model that meets many different needs. Can easily be cut to five shorter heights with a utility knife.



Grooved Mushroom Joystick Handles can be cut to size

Did you know...

To install a Bodypoint® handle, twist it on slowly to remove all the air from the flex-shaft.



SIZING

4.8mm (3/16") stem size: Fits most Invacare controllers




Rubber Dome

PC107A Fits stem size: Ø4.8mm (3/16")


PC107B Fits stem size: Ø6.4mm (1/4")

The Rubber Dome Joystick Handle is designed specifically for weak hands. Its low, wide form matches the shape of the palm, keeping the wrist neutral and making it easier to control the fingers. Ribbed texture reduces sweat buildup and increases friction to keep hands from slipping off with involuntary movement.

Padded Hip Belt and Evoflex™




1. Angle and hold individual in a correct, comfortable position to determine the most effective position and angle for the belt.
2. At the angle of your hands, measure the distance over the body with a flexible tape. This corresponds to the belt's padded length (B).
3. Find appropriate belt size using the tables below.



Evoflex®

Size	A	B	C	D
S38	2.5cm (1")	38cm (15")	5cm (2")	63cm (24-3/4")
M46	4cm (1-1/2")	46cm (18")	5.5cm (2-1/4")	76cm (29-3/4")
L62	5cm (2")	62cm (24-1/2")	7cm (2-3/4")	96cm (37-3/4")




Two-Point and Four-Point Padded Hip Belts

Size*	A**	B	C	D
S32	2.5cm (1")	32cm (12-1/2")	4.5cm (1-3/4")	117cm (46")
S38	2.5cm (1")	38cm (15")	5cm (2")	117cm (46")
M36	4cm (1-1/2")	36cm (14")	5.5cm (2-1/4")	130cm (51")
M40	4cm (1-1/2")	40cm (15-3/4")	5.5cm (2-1/4")	142cm (56")
M46	4cm (1-1/2")	46cm (18")	5.5cm (2-1/4")	142cm (56")
L62	5cm (2")	62cm (24-1/2")	7cm (2-3/4")	155cm (61")
L82	5cm (2")	82cm (32")	9cm (3-1/2")	206cm (81")
L92	5cm (2")	92cm (36")	10cm (4")	206cm (81")

* Numeral in part number indicates padded length in centimeters; e.g., M46 has 46cm of padded length. ** Webbing width for all padded belts: S = 2.5cm (1"), M = 4cm (1-1/2"), L = 5cm (2")


Measure for a Non-Padded Hip Belts



Size	A	D
S	2.5cm (1")	117cm (46")
M	4cm (1-1/2")	142cm (56")
L	5cm (2")	155cm (61")
L-EXT	5cm (2")	206cm (81")

Leg Harnesses


Measure from the anterior superior iliac spine (ASIS) to the point where the inner thigh touches the seat.



Size	Fit Range
S	20-28cm (8-11")
M	28-36cm (11-14")
L	36-41cm (14-16")

Stayflex™, PivotFit™ and Trimeline Harnesses


Measure the maximum width across the shoulders, at the deltoid muscles.



Size	Shoulder Width
XS	24-28cm (9-1/2-11")
S	28-33cm (11-13")
M	33-41cm (13-16")
L	41-48cm (16-19")
XL	48-56cm (19-22")
PivotFit™ Harness Only:	
XXS	21-24cm (8-1/4-9-1/2")

Monoflex™


Measure the trunk around the front and sides at the height at which the Monoflex™ will be worn.



Size	Pad Length	Underarm Release (One-piece)	Center Release (Two-piece)
		Pad Width	Pad Width
XS	31cm (12-1/4")	7cm (2-3/4")	5.5cm (2-1/4")
S	39.5cm (15-1/2")	7.5cm (3")	6.5cm (2-1/2")
M	46.5cm (18-1/4")	10cm (4")	8cm (3-1/4")
L	54.5cm (21-1/2")	11.5cm (4-1/2")	9cm (3-1/2")
XL	62cm (24-1/2")	12.5cm (5")	9.5cm (3-3/4")

Calf Supports (Calf Strap and Calf Panel)

Measure the curved distance around the legs from the outside of the wheelchair. Allow enough length for the pad to flex and wrap behind calves.




S	35 - 40cm (14-16")
M	40 - 50cm (16-20")
L	50 - 61cm (20-24")

For shower chair calf support see page 19

Ankle Huggers®

Measure circumference above ankle.



XS	14-17cm (5-1/2-6-3/4")
S	16.5-20cm (6-1/2-8")
M	19-23.5cm (7-1/2-9-1/4")
L	23-28cm (9-11")
XL	26.5-33cm (10-1/2-13")

Invacare is an official UK distributor

Seating & Positioning Team

Pete Hubbard
National Sales Manager
07977 980734
phubbard@invacare.com

Steve Nash
Wales & South West
07970 112992
snash@invacare.com

Andy Boyes
North
07973 830336
aboyes@invacare.com

Adrian Turner
Central
07967 185839
aturner@invacare.com

Micahael McQuitty
Northern Ireland
07977 409252
mmcquitt@invacare.com

Simon Harwood
London & South East
07903 298979
sharwood@invacare.com

Jim Gaw
Scotland
07506 487859
jgaw@invacare.com

Contact our Customer Services department on 01656 776222
or email ordersuk@invacare.com

Invacare Limited
Pencoed Technology Park - Pencoed -
Bridgend CF35 5AQ - United Kingdom
Tel: +44 1 656 776 222
Fax: +44 1656 776 220
E-mail: uk@invacare.com
E-mail orders: ordersuk@invacare.com
www.invacare.co.uk

Invacare Ireland Ltd
Unit 5 - Seatown Business Campus
Seatown Road - SWORDS - County
Dublin - Ireland
Tel. +353 1 8107084
Fax +353 1 8107085
Email: Ireland@invacare.com
www.invacare.ie

thinkclinicalseating



Bodypoint - UK - 07/2019 **1588127**

© 2019 Invacare International Sàrl

All information quoted is believed to be correct at the time of print.
Invacare reserves the right to alter product specifications without prior consultation.